



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

The ARRIVE guidelines 2.0: updated guidelines for reporting animal research

Citation for published version:

Percie Du Sert, N, Hurst, V, Ahluwalia, A, Alam, S, Avey, MT, Baker, M, Browne, WJ, Clark, A, Cuthill, IC, Dirnagl, U, Emerson, M, Garner, P, Holgate, ST, Howells, DW, Karp, NA, Lazic, SE, Lidster, K, Maccallum, CJ, Macleod, M, Pearl, EJ, Petersen, OH, Rawle, F, Reynolds, P, Rooney, K, Sena, ES, Silberberg, SD, Steckler, T & Würbel, H 2020, 'The ARRIVE guidelines 2.0: updated guidelines for reporting animal research', *The Journal of Physiology*. <https://doi.org/10.1113/JP280389>

Digital Object Identifier (DOI):

[10.1113/JP280389](https://doi.org/10.1113/JP280389)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Publisher's PDF, also known as Version of record

Published In:

The Journal of Physiology

Publisher Rights Statement:

© 2020 The Authors. The Journal of Physiology © 2020 The Physiological Society
This article was originally published in Plos Biology, <https://doi.org/10.1371/journal.pbio.3000410>, under a CCBY license.

General rights






















Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



The ARRIVE guidelines 2.0: updated guidelines for reporting animal research

Nathalie Percie du Sert¹ , Viki Hurst², Amrita Ahluwalia^{3,4} , Sabina Alam⁵ , Marc T. Avey⁶ , Monya Baker⁷, William J. Browne⁸ , Alejandra Clark⁹ , Innes C. Cuthill¹⁰ , Ulrich Dirnagl¹¹ , Michael Emerson¹², Paul Garner¹³ , Stephen T. Holgate¹⁴, David W. Howells¹⁵ , Natasha A. Karp¹⁶ , Stanley E. Lazic¹⁷, Katie Lidster¹⁸, Catriona J. MacCallum¹⁹ , Malcolm Macleod^{20,21} , Esther J. Pearl²² , Ole H. Petersen²³ , Frances Rawle²⁴ , Penny Reynolds²⁵ , Kieron Rooney²⁶ , Emily S. Sena²⁷ , Shai D. Silberberg²⁸, Thomas Steckler²⁹  and Hanno Würbel³⁰ 

¹Head of Experimental Design and Reporting, NC3Rs, London, United Kingdom

²Science Manager – Experimental Design and Reporting, NC3Rs, London, United Kingdom

³Professor of Vascular Pharmacology, Co-Director, The William Harvey Research Institute, London, United Kingdom

⁴Director of the Barts Cardiovascular CTU, Queen Mary University of London, London, United Kingdom

⁵Director of Publishing Ethics and Integrity, Taylor & Francis Group, London, United Kingdom

⁶Lead Health Scientist, Health Science Practice, ICF, Durham, North Carolina, United States of America

⁷Senior Editor, Opinion, Nature, San Francisco, California, United States of America

⁸Professor of Statistics, School of Education, University of Bristol, Bristol, United Kingdom

⁹Senior Editor, Team Manager – Life Sciences, PLOS ONE, Cambridge, United Kingdom

¹⁰Professor of Behavioural Ecology, School of Biological Sciences, University of Bristol, Bristol, United Kingdom

¹¹Director, QUEST Center for Transforming Biomedical Research, Berlin Institute of Health & Department of Experimental Neurology, Charité Universitätsmedizin Berlin, Berlin, Germany

¹²Reader in Platelet Pharmacology, National Heart and Lung Institute, Imperial College London, London, United Kingdom

¹³Professor, and Director of the Centre for Evidence Synthesis in Global Health, Clinical Sciences Department, Liverpool School of Tropical Medicine, Liverpool, United Kingdom

¹⁴MRC Clinical Professor, Clinical and Experimental Sciences, University of Southampton, Southampton, United Kingdom

¹⁵Professor of Neuroscience and Brain Plasticity, Tasmanian School of Medicine, University of Tasmania, Hobart, Australia

¹⁶Principal Scientist – Statistician & UK Team Lead, Data Sciences & Quantitative Biology, Discovery Sciences, R&D, AstraZeneca, Cambridge, United Kingdom

¹⁷Chief Scientific Officer, Prioris.ai Inc, Ottawa, Canada

¹⁸Programme Manager – Animal Welfare, NC3Rs, London, United Kingdom

¹⁹Director of Open Science, Hindawi Ltd, London, United Kingdom

²⁰Professor of Neurology and Translational Neuroscience, Centre for Clinical Brain Sciences, University of Edinburgh, Edinburgh, United Kingdom

²¹Academic Lead for Research Improvement and Research Integrity, University of Edinburgh, Edinburgh, United Kingdom

²²Programme Manager – Experimental Design, NC3Rs, London, United Kingdom

²³Director of the Academia Europaea Knowledge Hub, Cardiff University, Cardiff, United Kingdom

²⁴Director of Policy, Ethics and Governance, Medical Research Council, London, United Kingdom

²⁵Biostatistician, Statistics in Anesthesiology Research (STAR) Core & Research Assistant Professor, Department of Anesthesiology College of Medicine, University of Florida, Gainesville, Florida, United States of America

²⁶Associate Professor, Discipline of Exercise and Sport Science, Faculty of Medicine and Health, University of Sydney, Sydney, Australia

²⁷Stroke Association Kirby Laing Foundation Senior Non-Clinical Lecturer, Centre for Clinical Brain Sciences, University of Edinburgh, Edinburgh, United Kingdom

²⁸Director of Research Quality, National Institute of Neurological Disorders and Stroke, Bethesda, Maryland, United States of America

²⁹Associate Director, BRQC Animal Welfare Strategy Lead, Janssen Pharmaceutica NV, Beerse, Belgium

³⁰Professor for Animal Welfare, Veterinary Public Health Institute, Vetsuisse Faculty, University of Bern, Bern, Switzerland

Abstract Reproducible science requires transparent reporting. The ARRIVE guidelines (Animal Research: Reporting of In Vivo Experiments) were originally developed in 2010 to improve the reporting of animal research. They consist of a checklist of information to include in publications describing in vivo experiments to enable others to scrutinise the work adequately, evaluate

This article was originally published in Plos Biology, <https://doi.org/10.1371/journal.pbio.3000410>, under a CC-BY license.

its methodological rigour, and reproduce the methods and results. Despite considerable levels of endorsement by funders and journals over the years, adherence to the guidelines has been inconsistent, and the anticipated improvements in the quality of reporting in animal research publications have not been achieved. Here, we introduce ARRIVE 2.0. The guidelines have been updated and information reorganised to facilitate their use in practice. We used a Delphi exercise to prioritise and divide the items of the guidelines into 2 sets, the 'ARRIVE Essential 10,' which constitutes the minimum requirement, and the 'Recommended Set,' which describes the research context. This division facilitates improved reporting of animal research by supporting a stepwise approach to implementation. This helps journal editors and reviewers verify that the most important items are being reported in manuscripts. We have also developed the accompanying Explanation and Elaboration document, which serves (1) to explain the rationale behind each item in the guidelines, (2) to clarify key concepts, and (3) to provide illustrative examples. We aim, through these changes, to help ensure that researchers, reviewers, and journal editors are better equipped to improve the rigour and transparency of the scientific process and thus reproducibility.

(first published online 15 July 2020)

Corresponding author Nathalie Percie du Sert: Head of Experimental Design and Reporting, NC3Rs, London, United Kingdom. Email: nathalie.perciedusert@nc3rs.org.uk

Abbreviations ARRIVE, Animal Research: Reporting of In Vivo Experiments; FAIR, Findable, Accessible, Interoperable, Reusable; E&E, Explanation and Elaboration; MDAR, Materials, Design, Analysis and Reporting; NIH, National Institutes of Health.

Why good reporting is important

In recent years, concerns about the reproducibility of research findings have been raised by scientists, funders, research users, and policy makers (Begley & Ioannidis, 2015, Goodman *et al.* 2016). Factors that contribute to poor reproducibility include flawed study design and analysis, variability and inadequate validation of reagents and other biological materials, insufficient reporting of methodology and results, and barriers to accessing data (Freedman *et al.* 2017). The bioscience community has introduced a range of initiatives to address the problem, from open access and open practices to enable the scrutiny of all aspects of the research (Kidwell *et al.* 2016, Else, 2018) through to study preregistration to shift the focus towards robust methods rather than the novelty of the results (Chambers *et al.* 2017, Nosek *et al.* 2018), as well as resources to improve experimental design and statistical analysis (Bate & Clark, 2014, Lazic, 2016, Percie du Sert *et al.* 2017).

Transparent reporting of research methods and findings is an essential component of reproducibility. Without this, the methodological rigour of the studies cannot be adequately scrutinised, the reliability of the findings cannot be assessed, and the work cannot be repeated or built upon by others. Despite the development of specific reporting guidelines for preclinical and clinical research, evidence suggests that scientific publications often lack key information and that there continues to be considerable scope for improvement (McCance, 1995, Hackam & Redelmeier, 2006, Kilkenny *et al.* 2009, Macleod *et al.* 2009, Rice *et al.* 2009, van der Worp *et al.* 2010, Glasziou

et al. 2014, Macleod *et al.* 2015). Animal research is a good case in point, where poor reporting impacts on the development of therapeutics and irreproducible findings can spawn an entire field of research, or trigger clinical studies, subjecting patients to interventions unlikely to be effective (Scott *et al.* 2008, Begley & Ellis, 2012, Begley & Ioannidis, 2015).

In an attempt to improve the reporting of animal research, the ARRIVE guidelines (Animal Research: Reporting of In Vivo Experiments) were published in 2010. The guidelines consist of a checklist of the items that should be included in any manuscript that reports in vivo experiments, to ensure a comprehensive and transparent description (Kilkenny & Altman, 2010, Kilkenny *et al.* 2010a, 2010b, 2010c, 2010d, 2010e, McGrath *et al.* 2010, Kilkenny *et al.* 2011, Kilkenny *et al.* 2012a, 2012b). They apply to any area of research using live animal species and are especially pertinent to describe comparative research in the laboratory or other formal test setting. The guidelines are also relevant in a wider context, for example, for observational research, studies conducted in the field, and where animal tissues are used. In the 10 years since publication, the ARRIVE guidelines have been endorsed by more than a thousand journals from across the life sciences. Endorsement typically includes advocating their use in guidance to authors and reviewers. However, despite this level of support, recent studies have shown that important information as set out in the ARRIVE guidelines is still missing from most publications sampled. This includes details on randomisation (reported in only 30%–40% of

publications), blinding (reported in only approximately 20% of publications), sample size justification (reported in less than 10% of publications), and animal characteristics (all basic characteristics reported in less than 10% of publications) (Macleod *et al.* 2015, Avey *et al.* 2016, Leung *et al.* 2018).

Evidence suggests that 2 main factors limit the impact of the ARRIVE guidelines. The first is the extent to which editorial and journal staff are actively involved in enforcing reporting standards. This is illustrated by a randomised controlled trial at *PLOS ONE*, designed to test the effect of requesting a completed ARRIVE checklist in the manuscript submission process. This single editorial intervention, which did not include further verification from journal staff, failed to improve the disclosure of information in published papers (Hair *et al.* 2019). In contrast, other studies using shorter checklists (primarily focused on experimental design) with more editorial follow-up have shown a marked improvement in the nature and detail of the information included in publications (Han *et al.* 2017, Ramirez *et al.* 2017; The NPQIP Collaborative group, 2019). It is likely that the level of resource required from journals and editors currently prohibits the implementation of all the items of the ARRIVE guidelines.

The second issue is that researchers and other individuals and organisations responsible for the integrity of the research process are not sufficiently aware of the consequences of incomplete reporting. There is some evidence that awareness of ARRIVE is linked to the use of more rigorous experimental design standards (Reichlin *et al.* 2016). However, researchers are often unfamiliar with the much larger systemic bias in the publication of research and in the reliability of certain findings and even of entire fields (The Academy of Medical Sciences, 2015; Hurst & Percie du Sert, 2017; Fraser *et al.* 2018; Hair *et al.* 2019). This lack of understanding affects how experiments are designed and grant proposals prepared, how animals are used and data recorded in the laboratory, and how manuscripts are written by authors or assessed by journal staff, editors, and reviewers.

Approval for experiments involving animals is generally based on a harm–benefit analysis, weighing the harms to the animals involved against the benefits of the research to society. If the research is not reported in enough detail, even when conducted rigorously, the benefits may not be realised, and the harm–benefit analysis and public trust in the research are undermined (Sena & Currie, 2019). As a community, we must do better to ensure that, where animals are used, the research is both well designed and analysed as well as transparently reported. Here, we introduce the revised ARRIVE guidelines, referred to as ARRIVE 2.0. The information included has been updated, extended, and reorganised to facilitate the use of the guidelines, helping to ensure that researchers, editors,

and reviewers—as well as other relevant journal staff—are better equipped to improve the rigour and reproducibility of animal research.

Introducing ARRIVE 2.0

In ARRIVE 2.0, we have improved the clarity of the guidelines, prioritised the items, added new information, and generated the accompanying Explanation and Elaboration (E&E) document to provide context and rationale for each item (Percie du Sert *et al.* 2020) (also available at <https://www.arriveguidelines.org>). New additions comprise inclusion and exclusion criteria, which are a key aspect of data handling and prevent the ad hoc exclusion of data (Landis *et al.* 2012); protocol registration, a recently emerged approach that promotes scientific rigour and encourages researchers to carefully consider the experimental design and analysis plan before any data are collected (Kimmelman & Anderson, 2012); and data access, in line with the FAIR Data Principles (Findable, Accessible, Interoperable, Reusable) (Wilkinson *et al.* 2016). Table S1 summarises the changes.

The most significant departure from the original guidelines is the classification of items into 2 prioritised groups, as shown in Tables 1 and 2. There is no ranking of the items within each group. The first group is the ‘ARRIVE Essential 10,’ which describes information that is the basic minimum to include in a manuscript, as without this information, reviewers and readers cannot confidently assess the reliability of the findings presented. It includes details on the study design, the sample size, measures to reduce subjective bias, outcome measures, statistical methods, the animals, experimental procedures, and results. The second group, referred to as the ‘Recommended Set,’ adds context to the study described. This includes the ethical statement, declaration of interest, protocol registration, and data access, as well as more detailed information on the methodology such as animal housing, husbandry, care, and monitoring. Items on the abstract, background, objectives, interpretation, and generalisability also describe what to include in the more narrative parts of a manuscript.

Revising the guidelines has been an extensive and collaborative effort, with input from the scientific community carefully built into the process. The revision of the ARRIVE guidelines has been undertaken by an international working group—the authors of this publication—with expertise from across the life sciences community, including funders, journal editors, statisticians, methodologists, and researchers from academia and industry. We used a Delphi exercise (Moher *et al.* 2010) with external stakeholders to maximise diversity in fields of expertise and geographical location, with experts from 19 countries providing feedback on each item, suggesting new items, and ranking items

Table 1. ARRIVE Essential 10**ARRIVE Essential 10**

Study design	1	For each experiment, provide brief details of study design including: <ul style="list-style-type: none"> (a) The groups being compared, including control groups. If no control group has been used, the rationale should be stated. (b) The experimental unit (e.g. a single animal, litter, or cage of animals).
Sample size	2	<ul style="list-style-type: none"> (a) Specify the exact number of experimental units allocated to each group, and the total number in each experiment. Also indicate the total number of animals used. (b) Explain how the sample size was decided. Provide details of any a priori sample size calculation, if done.
Inclusion and exclusion criteria	3	<ul style="list-style-type: none"> (a) Describe any criteria used for including and excluding animals (or experimental units) during the experiment, and data points during the analysis. Specify if these criteria were established a priori. If no criteria were set, state this explicitly. (b) For each experimental group, report any animals, experimental units, or data points not included in the analysis and explain why. If there were no exclusions, state so. (c) For each analysis, report the exact value of <i>n</i> in each experimental group.
Randomisation	4	<ul style="list-style-type: none"> (a) State whether randomisation was used to allocate experimental units to control and treatment groups. If done, provide the method used to generate the randomisation sequence. (b) Describe the strategy used to minimise potential confounders such as the order of treatments and measurements, or animal/cage location. If confounders were not controlled, state this explicitly.
Blinding	5	Describe who was aware of the group allocation at the different stages of the experiment (during the allocation, the conduct of the experiment, the outcome assessment, and the data analysis).
Outcome measures	6	<ul style="list-style-type: none"> (a) Clearly define all outcome measures assessed (e.g. cell death, molecular markers, or behavioural changes). (b) For hypothesis-testing studies, specify the primary outcome measure, i.e. the outcome measure that was used to determine the sample size.
Statistical methods	7	<ul style="list-style-type: none"> (a) Provide details of the statistical methods used for each analysis, including software used. (b) Describe any methods used to assess whether the data met the assumptions of the statistical approach, and what was done if the assumptions were not met.
Experimental animals	8	<ul style="list-style-type: none"> (a) Provide species-appropriate details of the animals used, including species, strain and substrain, sex, age or developmental stage, and, if relevant, weight. (b) Provide further relevant information on the provenance of animals, health/immune status, genetic modification status, genotype, and any previous procedures.
Experimental procedures	9	For each experimental group, including controls, describe the procedures in enough detail to allow others to replicate them, including: <ul style="list-style-type: none"> (a) What was done, how it was done, and what was used. (b) When and how often. (c) Where (including detail of any acclimatisation periods). (d) Why (provide rationale for procedures).
Results	10	For each experiment conducted, including independent replications, report: <ul style="list-style-type: none"> (a) Summary/descriptive statistics for each experimental group, with a measure of variability where applicable (e.g. mean and SD, or median and range). (b) If applicable, the effect size with a confidence interval.

Explanations and examples for items 1 to 10 are available in the Explanation and Elaboration document (Percie du Sert *et al.* 2020) and on the website at <https://www.arriveguidelines.org>.

Abbreviations: ARRIVE guidelines (Animal Research: Reporting of In Vivo Experiments)

Table 2. ARRIVE Recommended Set

Recommended Set		
Abstract	11	Provide an accurate summary of the research objectives, animal species, strain and sex, key methods, principal findings, and study conclusions.
Background	12	(a) Include sufficient scientific background to understand the rationale and context for the study, and explain the experimental approach. (b) Explain how the animal species and model used address the scientific objectives and, where appropriate, the relevance to human biology.
Objectives	13	Clearly describe the research question, research objectives and, where appropriate, specific hypotheses being tested.
Ethical statement	14	Provide the name of the ethical review committee or equivalent that has approved the use of animals in this study, and any relevant licence or protocol numbers (if applicable). If ethical approval was not sought or granted, provide a justification.
Housing and husbandry	15	Provide details of housing and husbandry conditions, including any environmental enrichment.
Animal care and monitoring	16	(a) Describe any interventions or steps taken in the experimental protocols to reduce pain, suffering, and distress. (b) Report any expected or unexpected adverse events. (c) Describe the humane endpoints established for the study, the signs that were monitored, and the frequency of monitoring. If the study did not have humane endpoints, state this.
Interpretation/scientific implications	17	(a) Interpret the results, taking into account the study objectives and hypotheses, current theory, and other relevant studies in the literature. (b) Comment on the study limitations, including potential sources of bias, limitations of the animal model, and imprecision associated with the results.
Generalisability/translation	18	Comment on whether, and how, the findings of this study are likely to generalise to other species or experimental conditions, including any relevance to human biology (where appropriate).
Protocol registration	19	Provide a statement indicating whether a protocol (including the research question, key design features, and analysis plan) was prepared before the study, and if and where this protocol was registered.
Data access	20	Provide a statement describing if and where study data are available.
Declaration of interests	21	(a) Declare any potential conflicts of interest, including financial and nonfinancial. If none exist, this should be stated. (b) List all funding sources (including grant identifier) and the role of the funder(s) in the design, analysis, and reporting of the study.

Together with the Essential 10, the Recommended Set represents best reporting practice. Explanations and examples for items 11 to 21 are available in the Explanation and Elaboration document (Percie du Sert *et al.* 2020) and on the website <https://www.arriveguidelines.org>.

Abbreviations: ARRIVE guidelines (Animal Research: Reporting of In Vivo Experiments)

according to their relative importance for assessing the reliability of research findings. This ranking resulted in the prioritisation of the items of the guidelines into the 2 sets. Demographics of the Delphi panel and full methods and results are presented in Supporting Information S1 Delphi and S1 Data. Following their publication on BioRxiv, the revised guidelines and the E&E were also road tested with researchers preparing manuscripts describing in vivo studies, to ensure that these documents were well understood and useful to the intended users. This study is presented in Supporting Information S1 Road Testing and S2 Data.

While reporting animal research in adherence to all 21 items of ARRIVE 2.0 represents best practice, the classification of the items into 2 groups is intended to facilitate the improved reporting of animal research by allowing an initial focus on the most critical issues. This better allows journal staff, editors, and reviewers to verify that the items have been adequately reported in manuscripts. The first step should be to ensure compliance with the ARRIVE Essential 10 as a minimum requirement. Items from the Recommended Set can then be added over time and in line with specific editorial policies until all the items are routinely reported in

all manuscripts. ARRIVE 2.0 are fully compatible with and complementary to other guidelines that have been published in recent years. By providing a comprehensive set of recommendations that are specifically tailored to the description of in vivo research, they help authors reporting animal experiments adhere to the National Institutes of Health (NIH) standards (Landis *et al.* 2012) and the minimum standards framework and checklist (Materials, Design, Analysis and Reporting [MDAR] (Chambers *et al.* 2019)). The revised guidelines are also in line with many journals' policies and will assist authors in complying with information requirements on the ethical review of the research (Osborne *et al.* 2009; Rands, 2011), data presentation and access (Giofre *et al.* 2017; Vasilevsky *et al.* 2017; Michel *et al.* 2020), statistical methods (Giofre *et al.* 2017; Michel *et al.* 2020), and conflicts of interest (Ancker & Flanagan, 2007; Rowan-Legg *et al.* 2009).

Although the guidelines are written with researchers and journal editorial policies in mind, it is important to stress that researchers alone should not have to carry the responsibility for transparent reporting. Funders, institutions, and publishers' endorsement of ARRIVE has been instrumental in raising awareness to date; they now have a key role to play in building capacity and championing the behavioural changes required to improve reporting practices. This includes embedding ARRIVE 2.0 in appropriate training, workflows, and processes to support researchers in their different roles. While the primary focus of the guidelines has been on the reporting of animal studies, ARRIVE also has other applications earlier in the research process, including in the planning and design of in vivo experiments. For example, requesting a description of the study design in line with the guidelines in funding or ethical review applications ensures that steps to minimise experimental bias are considered at the beginning of the research cycle (Updated RCUK guidance for funding applications involving animal research, 2015).

Conclusion

Transparent reporting is clearly essential if animal studies are to add to the knowledge base and inform future research, policy, and clinical practice. ARRIVE 2.0 prioritises the reporting of information related to study reliability. This enables research users to assess how much weight to ascribe to the findings and, in parallel, promotes the use of rigorous methodology in the planning and conduct of in vivo experiments (Reichlin *et al.* 2016), thus increasing the likelihood that the findings are reliable and, ultimately, reproducible.

The intention of ARRIVE 2.0 is not to supersede individual journal requirements but to promote a harmonised approach across journals to ensure that all

manuscripts contain the essential information needed to appraise the research. Journals usually share a common objective of improving the methodological rigour and reproducibility of the research they publish, but different journals emphasise different pieces of information (Enhancing reproducibility, 2013; Curtis *et al.* 2018; Prager *et al.* 2018). Here, we propose an expert consensus on information to prioritise. This will provide clarity for authors, facilitate transfer of manuscripts between journals, and accelerate an improvement of reporting standards.

Concentrating the efforts of the research and publishing communities on the ARRIVE Essential 10 items provides a manageable approach to evaluate reporting quality efficiently and assess the effect of interventions and policies designed to improve the reporting of animal experiments. It provides a starting point for the development of operationalised checklists to assess reporting, ultimately leading to the build of automated or semi-automated artificial intelligence tools that can detect missing information rapidly (Heaven, 2018).

Improving reporting is a collaborative endeavour, and concerted effort from the biomedical research community is required to ensure maximum impact. We welcome collaboration with other groups operating in this area, as well as feedback on ARRIVE 2.0 and our implementation strategy.

References

- Ancker JS & Flanagan A (2007). A comparison of conflict of interest policies at peer-reviewed journals in different scientific disciplines. *Sci Eng Ethics* **13**, 147–157.
- Avey MT, Moher D, Sullivan KJ, Fergusson D, Griffin G, Grimshaw JM, Hutton B, Lalu MM, Macleod M, Marshall JS, Mei HJ, Rudnicki M, Stewart DJ, Turgeon AF & McIntyre L, Canadian Critical Care Translational Biology Group (2016). The devil is in the details: incomplete reporting in preclinical animal research. *PLoS One* **11**, e0166733.
- Bate ST & Clark RA (2014). *The design and statistical analysis of animal experiments*. Cambridge, United Kingdom: Cambridge University Press; 310 p.
- Begley CG & Ellis LM (2012). Drug development: raise standards for preclinical cancer research. *Nature* **483**, 531–533.
- Begley CG & Ioannidis JP (2015). Reproducibility in science: improving the standard for basic and preclinical research. *Circ Res* **116**, 116–126.
- Chambers CD, Forstmann B & Pruszynski JA (2017). Registered reports at the European Journal of Neuroscience: consolidating and extending peer-reviewed study pre-registration. *Eur J Neurosci* **45**, 627–628.
- Chambers K, Collings A, Graf C, Kiermer V, Mellor DT, Macleod M, Swaminathan S, Sweet D & Vinson V (2019). Towards minimum reporting standards for life scientists. *MetaArXiv*. <https://doi.org/10.31222/osf.io/9sm4x>.

- Curtis MJ, Alexander S, Cirino G, Docherty JR, George CH, Giembycz MA, Hoyer D, Insel PA, Izzo AA, Ji Y, MacEwan DJ, Sobey CG, Stanford SC, Teixeira MM, Wonnacott S, Ahluwalia A (2018). Experimental design and analysis and their reporting II: updated and simplified guidance for authors and peer reviewers. *Br J Pharmacol* **175**, 987–993.
- Else H (2018). Radical open-access plan could spell end to journal subscriptions. *Nature* **561**, 17–18.
- Fraser H, Parker T, Nakagawa S, Barnett A & Fidler F (2018). Questionable research practices in ecology and evolution. *PLoS One* **13**, e0200303.
- Freedman LP, Venugopalan G & Wisman R (2017). Reproducibility 2020: Progress and priorities. *F1000Research* **6**, 604.
- Giofre D, Cumming G, Fresc L, Boedker I & Tressoldi P (2017). The influence of journal submission guidelines on authors' reporting of statistics and use of open research practices. *PLoS One* **12**(4). <https://doi.org/10.1371/journal.pone.0175583>.
- Glasziou P, Altman DG, Bossuyt P, Boutron I, Clarke M, Julious S, Michie S, Moher D, Wager E (2014). Reducing waste from incomplete or unusable reports of biomedical research. *Lancet* **383**, 267–276.
- Goodman SN, Fanelli D & Ioannidis JPA (2016). What does research reproducibility mean? *Sci Transl Med* **8**, 341ps12.
- Hackam DG & Redelmeier DA (2006). Translation of research evidence from animals to humans. *JAMA* **296**, 1731–1732.
- Hair K, Macleod MR, Sena ES, Sena ES, Hair K, Macleod MR, Howells D, Bath P, Irvine C, MacCallum C, Morrison G, Clark A, Alvino G, Dohm M, Liao J, Sena C, Moreland R, Cramond F, Currie GL, Babor Z, Grill P, Bannach-Brown A, D-Marcu C, Antar S, Blazek K, Konold T, Dingwall M, Hohendorf V, Hosh M, Gerlei KZ, Wever KE, Jones V, Quinn TJ, Karp NA, Freymann J, Shek A, Gregorc T, Rinaldi A, Jheeta P, Nazzari A, Henshall DE, Storey J, Baginskaite J, de Oliveira CL, Laban K, Charbonney E, Lynn SA, Cascella M, Wheeler E, Baker D, Cheyne R, Christopher E, Roncon P, De-Souza EA, Warda M, Corke S, Ammar Z, O'Connor L, Devonshire IM, McCann SK, Gray LJ & Tanriver-Ayder E (2019). A randomised controlled trial of an intervention to improve compliance with the ARRIVE guidelines (IICARUS). *Research Integrity and Peer Review* **4**, 12.
- Han S, Olonisakin TF, Pribis JP, Zupetic J, Yoon JH, Holleran KM, Jeong K, Shaikh N, Rubio DM & Lee JS (2017). A checklist is associated with increased quality of reporting preclinical biomedical research: a systematic review. *PLoS One* **12**, e0183591.
- Heaven D (2018). AI peer reviewers unleashed to ease publishing grind. *Nature* **563**, 609–610.
- Hurst V & Percie du Sert N (2017). The ARRIVE guidelines survey. *Open Science Framework*. <https://doi.org/10.17605/OSF.IO/G8T5Q>.
- Kidwell MC, Lazarevic LB, Baranski E, Hardwicke TE, Piechowski S, Falkenberg LS, Kennett C, Slowik A, Sonnleitner C, Hess-Holden C, Errington TM, Fiedler S, & Nosek BA (2016). Badges to acknowledge open practices: a simple, low-cost, effective method for increasing transparency. *PLoS Biol* **14**, e1002456.
- Kilkenny C & Altman DG (2010). Improving bioscience research reporting: ARRIVE-ing at a solution. *Lab Anim* **44**, 377–378.
- Kilkenny C, Browne W, Cuthill IC, Emerson M & Altman DG (2010a). Animal research: reporting in vivo experiments: the ARRIVE guidelines. *J Gene Med* **12**, 561–563.
- Kilkenny C, Browne W, Cuthill IC, Emerson M & Altman DG (2011). Animal Research: Reporting In Vivo Experiments-the ARRIVE Guidelines. *J Cereb Blood Flow Metab*. <https://doi.org/10.1038/jcbfm.2010.220>.
- Kilkenny C, Browne WJ, Cuthill IC, Emerson M & Altman DG (2010b). Animal research: Reporting in vivo experiments: the ARRIVE guidelines. *Exp Physiol* **95**, 842–844.
- Kilkenny C, Browne WJ, Cuthill IC, Emerson M & Altman DG (2010c). Animal research: Reporting in vivo experiments: The ARRIVE guidelines. *J Physiol* **588**, 2519–2521.
- Kilkenny C, Browne WJ, Cuthill IC, Emerson M & Altman DG (2010d). Improving bioscience research reporting: the ARRIVE guidelines for reporting animal research. *J Pharmacol Pharmacother* **1**, 94–99.
- Kilkenny C, Browne WJ, Cuthill IC, Emerson M & Altman DG (2010e). Improving bioscience research reporting: the ARRIVE guidelines for reporting animal research. *PLoS Biol* **8**, e1000412.
- Kilkenny C, Browne WJ, Cuthill IC, Emerson M & Altman DG (2012a). Improving bioscience research reporting: the ARRIVE guidelines for reporting animal research. *Osteoarthritis Cartilage* **20**, 256–60.
- Kilkenny C, Browne WJ, Cuthill IC, Emerson M & Altman DG (2012b). Improving bioscience research reporting: the ARRIVE guidelines for reporting animal research. *Vet Clin Pathol* **41**, 27–31.
- Kilkenny C, Parsons N, Kadoszewski E, Festing MF, Cuthill IC, Fry D, Hutton J & Altman DG (2009). Survey of the quality of experimental design, statistical analysis and reporting of research using animals. *PLoS One* **4**, e7824.
- Kimmelman J & Anderson JA (2012). Should preclinical studies be registered? *Nat Biotechnol* **30**, 488–489.
- Landis SC, Amara SG, Asadullah K, Austin CP, Blumenstein R, Bradley EW, Crystal RG, Darnell RB, Ferrante RJ, Fillit H, Finkelstein R, Fisher M, Gendelman HE, Golub RM, Goudreau JL, Gross RA, Gubitza AK, Hesterlee SE, Howells DW, Huguenard J, Kelner K, Koroshetz W, Krainc D, Lazic SE, Levine MS, Macleod MR, McCall JM, Moxley RT, Narasimhan K, Noble LJ, Perrin S, Porter JD, Steward O, Unger E, Utz U & Silberberg SD (2012). A call for transparent reporting to optimize the predictive value of preclinical research. *Nature* **490**, 187–191.
- Lazic SE (2016). *Experimental Design for Laboratory Biologists: Maximising Information and Improving Reproducibility*. Cambridge: Cambridge University Press;
- Leung V, Rousseau-Blass F, Beauchamp G & Pang DSJ (2018). ARRIVE has not ARRIVED: Support for the ARRIVE (Animal Research: Reporting of in vivo Experiments) guidelines does not improve the reporting quality of papers in animal welfare, analgesia or anesthesia. *PLoS One* **13**, e0197882.

- Macleod MR, Fisher M, O'Collins V, Sena ES, Dirnagl U, Bath PM, Buchan A, van der Worp HB, Traystman R, Minematsu K, Donnan GA & Howells DW (2009). Good laboratory practice: preventing introduction of bias at the bench. *Stroke* **40**, e50–52.
- Macleod MR, Lawson McLean A, Kyriakopoulou A, Serghiou S, de Wilde A, Sherratt N, Hirst T, Hemblade R, Bahor Z, Nunes-Fonseca C, Potluru A, Thomson A, Baginskitaie J, Egan K, Vesterinen H, Currie GL, Churilov L, Howells DW & Sena ES (2015). Risk of bias in reports of in vivo research: a focus for improvement. *PLoS Biol* **13**, e1002273.
- McCance I (1995). Assessment of statistical procedures used in papers in the Australian Veterinary Journal. *Aust Vet J* **72**, 322–328.
- McGrath JC, Drummond GB, McLachlan EM, Kilkenny C & Wainwright CL (2010). Guidelines for reporting experiments involving animals: the ARRIVE guidelines. *Br J Pharmacol* **160**, 1573–1576.
- Michel MC, Murphy TJ & Motulsky HJ (2020). New author guidelines for displaying data and reporting data analysis and statistical methods in experimental biology. *Mol Pharmacol* **97**, 49–60.
- Moher D, Schulz KF, Simera I & Altman DG (2010). Guidance for developers of health research reporting guidelines. *PLoS Med* **7**, e1000217.
- Nosek BA, Ebersole CR, DeHaven AC & Mellor DT (2018). The preregistration revolution. *Proc Natl Acad Sci U S A* **115**, 2600–2606.
- Osborne NJ, Payne D & Newman ML (2009). Journal editorial policies, animal welfare, and the 3Rs. *Am J Bioeth* **9**, 55–9.
- Percie du Sert N, Ahluwalia A, Alam S, Avey MT, Baker M, Browne WJ, Clark A, Cuthill IC, Dirnagl U, Emerson M, Garner P, Holgate ST, Howells DW, Hurst V, Karp NA, Lidster K, MacCallum CJ, Macleod M, Pearl EJ, Petersen O, Rawle F, Reynolds P, Rooney K, Sena ES, Silberberg SD, Steckler T & Würbel H (2020). Reporting animal research: Explanation and Elaboration for the ARRIVE guidelines 2.0. *PLoS Biol*.
- Percie du Sert N, Bamsey I, Bate ST, Berdoy M, Clark RA, Cuthill I, Fry D, Karp NA, Macleod M, Moon L, Stanford SC & Lings B (2017). The experimental design assistant. *PLoS Biol* **15**, e2003779.
- Prager EM, Chambers KE, Plotkin JL, McArthur DL, Bandrowski AE, Bansal N, Martone ME, Bergstrom HC, Bespalov A, Graf C (2018). Improving transparency and scientific rigor in academic publishing. *J Neurosci Res*. <https://doi.org/10.1002/jnr.24340>.
- Ramirez FD, Motazedian P, Jung RG, Di Santo P, MacDonald ZD, Moreland R, Simard T, Clancy AA, Russo JJ, Welch VA, Wells GA & Hibbert B (2017). Methodological rigor in preclinical cardiovascular studies: targets to enhance reproducibility and promote research translation. *Circ Res* **120**, 1916–1926.
- Rands SA (2011). Inclusion of policies on ethical standards in animal experiments in biomedical science journals. *J Am Assoc Lab Anim Sci* **50**, 901–3.
- Reichlin TS, Vogt L & Würbel H (2016). The researchers' view of scientific rigor—survey on the conduct and reporting of in vivo research. *PLoS One* **11**, e0165999.
- Rice AS, Cimino-Brown D, Eisenach JC, Kontinen VK, Lacroix-Fralish ML, Machin I, Consortium PP, Mogil JS, Stöhr T (2009). Animal models and the prediction of efficacy in clinical trials of analgesic drugs: a critical appraisal and call for uniform reporting standards. *Pain* **139**, 243–247.
- Rowan-Legg A, Weijer C, Gao J & Fernandez C (2009). A comparison of journal instructions regarding institutional review board approval and conflict-of-interest disclosure between 1995 and 2005. *J Med Ethics* **35**, 74–78.
- Scott S, Kranz JE, Cole J, Lincecum JM, Thompson K, Kelly N, Bostrom A, Theodoss J, Al-Nakhala BM, Vieira FG, Ramasubbu J & Heywood JA (2008). Design, power, and interpretation of studies in the standard murine model of ALS. *Amyotroph Lateral Scler* **9**, 4–15.
- Sena ES & Currie GL (2019). How our approaches to assessing benefits and harms can be improved. *Anim Welfare* **28**, 107–115.
- The Academy of Medical Sciences. Reproducibility and reliability of biomedical research: improving research practice (2015). Available from: <https://acmedsci.ac.uk/policy/policy-projects/reproducibility-and-reliability-of-biomedical-research>. [cited 16 June 2020].
- The NPQIP Collaborative group (2019). Did a change in Nature journals' editorial policy for life sciences research improve reporting? *BMJ Open Science* **3**, e000035.
- van der Worp HB, Howells DW, Sena ES, Porritt MJ, Rewell S, O'Collins V & Macleod MR (2010). Can animal models of disease reliably inform human studies? *PLoS Med* **7**, e1000245.
- Vasilevsky NA, Minnier J, Haendel MA & Champieux RE (2017). Reproducible and reusable research: are journal data sharing policies meeting the mark? *PeerJ* **5**. <https://doi.org/10.7717/peerj.3208>.
- Wilkinson MD, Dumontier M, Aalbersberg JJ, Appleton G, Axton M, Baak A, Blomberg N, Boiten J-W, da Silva Santos LB, Bourne PE, Bouwman J, Brookes AJ, Clark T, Crosas M, Dillo I, Dumon O, Edmunds S, Evelo CT, Finkers R, Gonzalez-Beltran A, AGray JG, Groth P, Goble C, Grethe JS, Heringa J, 't Hoen PAC, Hooft R, Kuhn T, Kok R, Kok J, Lusher SJ, Martone ME, Mons A, Packer AL, Persson B, Rocca-Serra P, Roos M, van Schaik R, Sansone S-A, Schultes E, Sengstag T, Slater T, Strawn G, Swertz MA, Thompson M, van der Lei J, van Mulligen E, Velterop J, Waagmeester A, Wittenburg P, Wolstencroft K, Zhao J & Mons B (2016). The FAIR Guiding Principles for scientific data management and stewardship. *Scientific Data* **3**, 160018.
- Updated RCUK guidance for funding applications involving animal research 2015 [18 Nov 2019]. Available from: <https://mrc.ukri.org/news/browse/updated-rcuk-guidance-for-funding-applications-involving-animal-research/>. [cited 16 June 2020].
- Enhancing reproducibility. (2013). *Nat Methods* **10**, 367. Epub 2013/06/14. PubMed PMID: 23762900.

Additional information

Competing interests

AA: editor in chief of the British Journal of Pharmacology. WJB, ICC and ME: authors of the original ARRIVE guidelines. WJB: serves on the Independent Statistical Standing Committee of the funder CHDI foundation. AC: Senior Editor, PLOS ONE. AC, CJM, MMcL and ESS: involved in the IICARus trial. ME, MMcL and ESS: have received funding from NC3Rs. ME: sits on the MRC ERPIC panel. STH: chair of the NC3Rs board, trusteeship of the BLE, Kennedy Trust, DSRU and CRUK, member of Governing Board, Nuffield Council of Bioethics, member Science Panel for Health (EU H2020), founder and NEB Director Synairgen, consultant Novartis, Teva and AZ, chair MRC/GSK EMINENT Collaboration. VH, KL, EJP and NPdS: NC3Rs staff, role includes promoting the ARRIVE guidelines. SEL and UD: on the advisory board of the UK Reproducibility Network, CJMcC: shareholdings in Hindawi, on the publishing board of the Royal Society, on the EU Open Science policy platform. UD, MMcL, NPdS, CJMcC, ESS, TS and HW: members of EQUIPD. MMcL: member of the Animals in Science Committee, on the steering group of the UK Reproducibility Network. NPdS and TS: associate editors of BMJ Open Science. OHP: vice president of Academia Europaea, editor in chief of Function, senior executive editor of the Journal of Physiology, member of the Board of the European Commission's SAPEA (Science Advice for Policy by European Academies). FR: NC3Rs board member, shareholdings in GSK. FR and NAK: shareholdings in AstraZeneca. PR: member of the University of Florida Institutional Animal Care and Use Committee, editorial board member of Shock. ESS: editor in chief of BMJ Open Science. SDS: role is to provide expertise and does not represent the opinion of the NIH. TS: shareholdings in Johnson & Johnson. SA, MTA, MB, PG, DWH, and KR declared no conflict of interest.

Author contributions

NPdS: conceptualisation, data curation, formal analysis, funding acquisition, investigation, methodology, project administration, resources, supervision, visualisation, writing – original draft, writing – review and editing; VH: data curation, investigation, methodology, project administration, resources, writing – original draft; SEL, EJP: writing – review and editing; KL: investigation, project administration, writing – review and editing; AA, SA, MTA, MB, WJB, AC, ICC, UD, ME, PG, STH, DWH, NAK, CJMcC, MMcL, OHP, FR, PR, KR, ESS, SDS, TS, HW: investigation, methodology, resources, writing – original draft, writing – review and editing.

Funding

This work was supported by the National Centre of the Replacement, Refinement & Reduction on Animals in Research (NC3Rs, <https://www.nc3rs.org.uk/>). NPdS, KL, VH, and EJP are employees of the NC3Rs.

Acknowledgements

We would like to thank the members of the expert panel for the Delphi exercise and the participants of the road testing for their time and feedback. We are grateful to the DelphiManager team for advice and use of their software. We would like to acknowledge the late Doug Altman's contribution to this project; Doug was a dedicated member of the working group and his input to the guidelines' revision has been invaluable.

Supporting information

Additional supporting information may be found online in the Supporting Information section at the end of the article.

Supporting Information